




# MX600



MX610 MX620

DIN



3-2 DIN

M4

M3

MX600

PLC

mm

2.

M X 6 1 0

制造商 品牌 系列 子型号


性能控制器

1

根据功能性能定义

制造商

- 1: MEGMEET
- 2: 中大型高柜
- 3: 6系列
- 4: CPU系列:
  - 1: Celeron
  - 2: i3
  - 3: i5
  - 4: i7
- 5: 子型号, 柜



3-3 MX600



° P

3.

PLC


PLC

0.45-0.56N\*M



1 S/S0 S/S1

2 CM0 CM1

NPN

24V-

3 X0-X7 Y0-Y7

4 X10-X17 Y10-Y17


200KHz

7.3 4PIN PUSH-IN



PIN	2 x 2 PIN	
PIN 1		
PIN 2		
PIN 3		
PIN 4		

7.4 16PIN PUSH-IN



PIN

PIN

7.1 MX600 PLC 5

1) LAN1 LAN2 EtherCAT

2) LAN3 EtherNET/IP MOTBUS-TCP OPCUA

3) LAN4 PROFINET MOTBUS-TCP OPCUA

4) LAN5 EtherNET/IP / MOTBUS-TCP OPCUA

5) IP

LAN1 192.168.8.2 LAN2 192.168.9.2

LAN3 192.168.10.2 LAN4 192.168.11.2

LAN5 192.168.12.2

7.2 MX600 PLC IO 18PIN 9Pin 3.5mm

PUSH-IN IO



---

---

- 
- 
- 
- 

---
